



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMER United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION N
10/055,511	01/23/2002	Matthew L. Parsons	71710-56440	9369
21874	7590 11/03/2004		EXAMINER	
EDWARDS & ANGELL, LLP			LACYK, JOHN P	
P.O. BOX 558 BOSTON, M			ART UNIT PAPER NUMBER	
,			3736	

DATE MAILED: 11/03/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/055,511	PARSONS ET AL.				
Office Action Summary	Examiner	Art Unit				
	John P Lacyk	3736				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	old(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	ely filed s will be considered timely. the mailing date of this communication. O (35 U.S.C. § 133).				
Status	The second second					
1) Responsive to communication(s) filed on <u>02 Ju</u>	ly 2004.					
2a) ☐ This action is FINAL . 2b) ☐ This	a)⊠ This action is FINAL . 2b)□ This action is non-final.					
3) Since this application is in condition for allowan	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	3 O.G. 213.				
Disposition of Claims						
4) Claim(s) 69-88 is/are pending in the application 4a) Of the above claim(s) is/are withdraw 5) Claim(s) 69-72 and 75-88 is/are allowed. 6) Claim(s) 73 and 74 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or	vn from consideration.					
Application Papers						
9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the or Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Examiner 12. **The Declaration** 13. **The Declaration** 14. **The Declaration** 15. **The Declaration** 16. **The Declaration** 16. **The Declaration** 17. **The Declaration** 18. **The Declaration** 19. **The Declaration** 19. **The Declaration** 10. **The Declaration** 11. **The Declaration** 11. **The Declaration** 11. **The Declaration** 12. **The Declaration** 13. **The Declaration** 14. **The Declaration** 15. **The Declaration** 16. **The Declaration** 16. **The Declaration** 17. **The Declaration** 17. **The Declaration** 18. **The Declaration** 19. **The Declarat	epted or b) objected to by the Edrawing(s) be held in abeyance. See on is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa					
aper recognition bate						

Application/Control Number: 10/055,511

Art Unit: 3736

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Page 2

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claims 73-74 are rejected under 35 U.S.C. 102(b) as being anticipated by EP 0919193 (Fox et al).

Fox et al discloses a device that is attached to an internal organ having a top surface(68, 69 of Figure 1) and at least one portion of the housing adapted for adherence to the surface of an internal organ; the top surface has a flat elongated shape and has a bottom surface that has at least one aperture to allow a suction or vacuum to hold the internal organ (Figure 11). The device uses a vacuum to stabilize an internal organ which in itself is considered to be a "manipulation" of the organ, however the device is also clearly capable of moving, positioning and/or lifting the organ in order to position the desired part of the organ properly in order to perform the procedure.

3. Claims 73-74 are rejected under 35 U.S.C. 102(e) as being clearly anticipated by Wright.

Art Unit: 3736

Wright discloses a device that is attached to an internal organ having a top surface (10) and at least one portion of the housing adapted for adherence to the surface of an internal organ; the top surface has a flat elongate shape and further has a bottom surface that has at least one aperture to allow a suction or vacuum to hold the internal organ. The device uses a vacuum to stabilize an internal organ which in itself is considered to be a "manipulation" of the organ, however the device is also clearly capable of moving, positioning and/or lifting the organ in order to position the desired part of the organ properly in order to perform the procedure. Further the device shows a flange or lip (313 of Figure 7).

- 4. Claims 69-72, 75-88 are allowed.
- 5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 3736

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to John P Lacyk whose telephone number is 703-308-2995

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on 308-3130. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

John P Lácvk

Primary Examiner

Art Unit 3736